

EPPCO BENZYNA 4T FAST

PRODUCT DESCRIPTION

EPPCO BENZYNA 4T FAST is a High-quality Synthetic Blend motorcycle engine oil specifically formulated to provide outstanding durable protection under high torque, high stress conditions. Under these conditions motorcycle engine operates at extremely high temperature causing viscosity and thermal breakdown of motor oil. **BENZYNA 4T FAST** provides maximum protection against viscosity and thermal breakdown. It is available in SAE 20W-40 viscosity grade, it meets the new JASO MA specifications. An oil well suited for 4 stroke motor cycle engines, clutch and gear (ECG)

APPLICATIONS

- ◆ Four-Stroke motor cycles with integral wet clutch operation
- ◆ Particularly suitable for Japanese high performance four-stroke motor cycles
- ◆ Air cooled four-stroke motor cycle engines
- ◆ Water cooled four-stroke motor cycles engines
- ◆ Portable small four-stroke gasoline engine generator sets

PERFORMANCE STANDARDS

BENZYNA 4T FAST meets the performance requirements of:

API SJ
 JASO MA

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

BENZYNA 4T FAST provides:

- ◆ Helps smooth gear changes
- ◆ Easy startup due to multigrade viscosity
- ◆ Superior resistance to oil thickening and oxidation
- ◆ Excellent protection against wear
- ◆ Low engine deposits

Technical Data*	
SAE Grade	20W-40
Kinematic Viscosity	
mm ² /s @ 40°C	125
mm ² /s @ 100°C	14
Viscosity Index	110
Flash Point, COC, °C	236
Pour Point, °C	-27
Product Code	320020

The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the EPPCO Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.