

EPPCO ADVANCED 770X

PRODUCT DESCRIPTION

EPPCO ADVANCED 770X is a High Performance diesel engine oil meeting the performance requirements of API CI-4 standard available in a shear stable viscosity grade of SAE 15W-40. **ADVANCED 770X SAE 15W-40** offers excellent performance for fleet operators wanting high reliablilty in various diesel applications like trucks, buses, generator sets, off-road construction equipments.

APPLICATIONS

- Suitable for mixed fleets of turbocharged and naturally aspirated diesel engines
- Off-highway construction equipments
- ♦ Heavy duty Mobile Plant vehicles
- Diesel generator sets

PERFORMANCE STANDARDS

ADVANCED 770X meets the performance requirements of following OEM and International Specifications:

API CI-4/SL, ACEA E7 and also suitable for equipments calling for MB-Approval 228.3, Volvo VDS-3, Caterpillar ECF-2, MAN M3275 specifications

Always follow equipment manufacturer's recommendations for required lubricant performance levels and oil drain intervals.

BENEFITS

ADVANCED 770X provides:

- Excellent engine cleanliness through advanced soot handling technology
- Mixed fleet capabilities
- Optimum engine life
- Trouble free operation between drain service intervals
- Oil consumption control to help reduce maintenance cost

Technical Data*	
SAE Grade	15W-40
Density at 15°C, kg/L, ASTM D4052	0.8744
Kinematic Viscosity mm ² /s @ 40°C, ASTM D 445	106.5
Kinematic Viscosity mm ² /s @ 100°C, ASTM D 445	14.4
Viscosity Index, ASTM D 2270	138
Flash Point, COC, ⁰ C, , ASTM D 92	230
Pour Point, °C, , ASTM D 97	-27
TBN, mg KOH/g, ASTM D 2896	10.5
CCS Viscosity, mPa.s, ASTM D 5293	6500 @-20°C
Product Code	300024

^{*}The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the EPPCO Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information, we recommend you review the MSDS. Handled correctly there are no special precautions suggested.