

EPPCO BENZYNA 4T SUPER SG

PRODUCT DESCRIPTION

EPPCO BENZYNA 4T SUPER SG is robust motorcycle engine oil specifically formulated for Four-Stroke motor cycles available in different viscosity grade and meeting the API SG specification. In addition it meets the new JASO MA specification which has been developed to meet the requirements for the engine and the wet clutch lubrication to provide smooth gear change operations

APPLICATIONS

- Four-Stroke motor cycles with integral wet clutch operation
- Particularly suitable for Japanese high performance four-stroke motor cycles
- ♦ Air cooled four-stroke motor cycle engines
- ♦ Water cooled four-stroke motor cycles engines
- Portable small four-stroke gasoline engine generator sets

PERFORMANCE STANDARDS

BENZYNA 4T SUPER SG meets and exceeds the following International specifications

API SG JASO MA

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

BENZYNA 4T SUPER SG provides:

- Proven protection to engine, gears & clutch intergral in motorcycle engine
- Smooth gear changes by the use of special lubricant friction characteristics
- Superior resistance to oil thickening and oxidation
- Excellent protection against wear
- Low engine deposits
- Easy all year round starting

Technical Data*		
SAE Grade	15W-40	20W-50
Kinematic Viscosity		
mm ² /s @ 40 ⁰ C	111	155
mm ² /s @100°C	14.6	17.4
Viscosity Index	135	122
Flash Point, COC, °C	230	246
Pour Point, ⁰ C	-33	-24
Product Code	320016	320010

^{*}The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the EPPCO Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.