

EPPCO BENZYNA 4T PREMIUM

PRODUCT DESCRIPTION

EPPCO BENZYNA 4T PREMIUM is latest technology motorcycle engine oil meeting the performance requirements of API SL & JASO MA specifications. Developed to provide maximum protection for use in modern 4 stroke air cooled motor cycles low emission engines and high performance vehicles. It is suitable for all types of driving conditions (city, highway and harsh) and is available in 20W-50 SAE viscosity grade, to meet market conditions. Compatible for all motor cycles running on lead free gasoline and catylitic converters.

APPLICATIONS

Benzyna 4T Premium is suitable for all modern motorcycle engines where API SL (and below) and or JASO MA-2 and MA specifications are recommended

PERFORMANCE STANDARDS

BENZYNA 4T PREMIUM PLUS meets the performance requirements of:

API SL JASO MA

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

BENZYNA 4T PREMIUM provides:

- Proven engine protection for motorcycle application
- ♦ Prevents clutch slipage ensuring smooth driving performance
- ♦ Superior resistance to oil thickening
- ♦ Excellent protection against wear
- Low oil consumption and engine deposits
- Easy all year round starting

Technical Data*	
SAE Grade	20W-50
Color	Red
Kinematic Viscosity mm ² /s @ 40°C	170
Kinematic Viscosity mm ² /s @100°C	18.9
Viscosity Index	126
Flash Point, COC, ⁰ C	240
Pour Point, ⁰ C	-24
Product code	320045

The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the EPPCO Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.

Issued by ENOC marketing LLC, Dubai, U.A.E. Updated on November 2020 - PB PDS V2301120